

## Publications

1. Wakayama T, Maruyama Y, Imamura K, and Fukuta K. (1993) Penetration of the Zona Pellucida of Eggs of Different Species by Spermatozoa of the Japanese Field Vole, *Microtus montebelli*. **J. Reprod. Dev.** 39:319-323.
2. Wakayama T, Matsubara Y, Imamura K, Kurohmaru M, Hayashi Y, and Fukuta K. (1994) Development of early-stage embryos of the Japanese field vole, *Microtus montebelli*, in vivo and in vitro. **J. Reprod. Fertil.** 101:663-666.
3. Wakayama T, Tanemura K, Suto J, Imamura K, Fukuta K, Mori H, Kuramoto K, Kurohmaru M, and Hayashi Y. (1995) Production of term offspring by in vitro fertilization using old mouse spermatozoa. **J. Vet. Med. Sci.** 57:545-547.
4. Suto J, Wakayama T, Imamura K, Goto S, and Fukuta K. (1995) Incomplete development of the spleen and the deformity in the chimeras between asplenic mutant (Dominant hemimelia) and normal mice. **Teratology.** 52: 71-77.
5. Wakayama T, Suto J, Matsubara Y, Imamura K, Fukuta K, Toyoda Y, Kurohmaru M, and Hayashi Y. (1995) In vitro fertilization and embryo development of Japanese Field Vole, *Microtus montebelli*. **J. Reprod. Fertil.** 104: 63-68.
6. Endo H, Hondo E, Yamagiwa D, Wakayama T, Kurohmaru, M, and Hayashi Y. (1996) Distribution of cardiac musculature in the pulmonary venous wall of three species of the genus *Mustela*. **Mammal Study** 21: 37-42.
7. Ogura A, Yamamoto Y, Matsuda J, Suzuki O, Wakayama T, Kimura H, and Asano T. (1996) In vitro fertilization and microinsemination with round spermatids for propagation of nephrotic genes in mice. **Theriogenology** 45: 1141-1149.
8. Suto J, Wakayama T, Imamura K, Goto S, and Fukuta K. (1996) Observation on the skeletal malformations caused by the Dh (Dominant hemimelia) gene in mice. **Exp. Anim.** 45:95-98.
9. Suto J, Wakayama T, Imamura K, Goto S, and Fukuta K. (1996) High lethality of F1 male *Dh/+* mice from the cross between female DDD and male *Dh/+*. **Exp. Anim.** 45:99-101.
10. Wakayama T, Suto J, Imamura K, Toyoda Y, Kurohmaru, M, and Hayashi Y. (1996) Effect of hypotaurine on In vitro fertilization and production of term offspring from in vitro fertilized ova of the Japanese Field Vole, *Microtus montebelli*. **Biol. Reprod.** 54: 625-630.
11. Wakayama T, Ogura A, Suto J, Matsubara Y, Kurohmaru M, Hayashi Y, and Yanagimachi R. (1996) Penetration by field vole spermatozoa of mouse and hamster zonae pellucidae without acrosome reaction. **J. Reprod. Fertil.** 107: 97-102.
12. Tanemura K, Wakayama T, Kuramoto K, Hayashi Y, and Ogura A. (1997) Birth of normal young by microinsemination with frozen-thawed round spermatids collected from aged azoospermic mice. **Lab. Anim. Sci.** 47: 203-204.

13. Wakayama T, Hayashi Y, and Ogura A. (1997) Participation of the female pronucleus derived from the second polar body in full embryonic development of mice. **J. Reprod. Fertil.** 110: 263-266.
14. Ogura A, Wakayama T, Suzuki O, Shin T.Y, Matsuda J, and Kobayashi Y. (1997) Chromosomes of mouse primary spermatocytes undergo meiotic divisions after incorporation into homologous immature oocytes. **Zygote.** 5: 177-182.
15. Wakayama T, Uehara T, Hayashi Y, and Yanagimachi R. (1997) The response of mouse oocytes injected with sea urchin spermatozoa. **Zygote.** 5: 229-234.
16. Cummins J.M, Wakayama T, and Yanagimachi R. (1997) Fate of microinjected sperm components in the mouse oocyte and embryo. **Zygote.** 5: 301-308.
17. Wakayama T, Whittengham D.G, and Yanagimachi R. (1998) Production of normal offspring from mouse oocytes injected with spermatozoa cryopreserved with or without cryoprotection. **J. Reprod. Fertil.** 112:11-17.
18. Dozortsev D, Wakayama T, Ermilov A, and Yanagimachi R. (1998) Intracytoplasmic sperm injection in the rat. **Zygote.** 6:143-147.
19. Cummins J.M, Wakayama T, and Yanagimachi R. (1998) Fate of microinjected immature sperm mitochondria in the mouse oocyte and embryo. **Zygote.** 6:213-222.
20. Tateno H, Wakayama T, Ward W. S, and Yanagimachi R. (1998) Can alcohol retain the reproductive and genetic potential of sperm nuclei?: chromosome analysis of mouse spermatozoa stored in alcohol. **Zygote.** 6:233-238.
21. Wakayama T, and Yanagimachi R. (1998) Fertilizability and developmental ability of mouse oocytes with reduced amount of cytoplasm. **Zygote** 6:341-346.
22. Wakayama T, and Yanagimachi R. (1998) The first polar body can be used the production of normal offspring. **Biol. Reprod.** 59:100-104.
23. Wakayama T, and Yanagimachi R. (1998) Development of normal mice from oocytes injected with freeze-dried spermatozoa. **Nat. Biotechnol.**16:639-641. (Cover article of issue).
24. Wakayama T, Perry ACF, Zuccotti M, Johnson KR, and Yanagimachi R. (1998) Full term development of mice from enucleated oocytes injected with cumulus cell nuclei. **Nature** 394:369-374. (Cover article of issue).
25. Perry ACF, Wakayama T, and Yanagimachi R. (1999) A novel trans-complementation assay suggests full mammalian oocyte activation is co-ordinately initiated by multiple, sub-membrane sperm components. **Biol. Reprod.** 60:747-755.
26. Perry ACF, Wakayama T, Kishikawa H, Kasai T, Okabe M, Toyoda Y, and Yanagimachi R. (1999) Mammalian transgenesis by intracytoplasmic sperm injection. **Science** 284: 1180-1183.
27. Wakayama T, and Yanagimachi R. (1999) Cloning of male mice from adult tail-tip cells. **Nat. Genet.** 22:127-128.

28. Wakayama T, Rodriguez I, Perry ACF, Yanagimachi R, and Mombaerts P. (1999) Mice cloned from embryonic stem cells. **Proc. Natl. Acad. Sci. USA** 26:14984-14989.
29. Kishikawa H, Wakayama T, and Yanagimachi R. (1999) Comparison of oocyte-activating agents for mouse cloning. **Cloning** 1:153-159.
30. Perry ACF, Wakayama T, Cooke IM, and Yanagimachi R. (2000) Mammalian oocyte activation by the synergistic action of discrete sperm head components: Induction of calcium transients and involvement of proteolysis. **Dev. Biol.** 217: 386-393.
31. Wakayama T, Tateno H, Mombaerts P, and Yanagimachi R. (2000) Nuclear transfer into mouse zygotes. **Nat. Genet.** 24:108-109.
32. Rideout III W. M, Wakayama T, Wutz A, Eggan K, Jackson-Grusby L, Dausman J, Yanagimachi R, and Jaenisch R. (2000) Generation of mice from wild-type and targeted ES cells by nuclear cloning. **Nat. Genet.** 24:109-110.
33. Tamashiro KLK, Wakayama T, Blanchard RJ, Blanchard DC, and Yanagimachi R. (2000) Postnatal growth and behavioral development of mice cloned from adult cumulus cells. **Biol. Reprod.** 63:328-334.
34. Ogura A, Inoue K, Takano K, Wakayama T, and Yanagimachi R. (2000) Birth of Mice after Nuclear Transfer by Electrofusion using Tail Tip Cells. **Mol. Reprod. Dev.** 57:55-59.
35. Wakayama T, Shinkai Y, Tamashiro KLK, Niida H, Blanchard DC, Blanchard RJ, Ogura A, Tanemura K, Tachibana M, Perry ACF, Colgan DF, Mombaerts P, and Yanagimachi R. (2000) Cloning of mice to six generations. **Nature** 407: 318-319.
36. Wakayama T, and Yanagimachi R. (2001) Mouse cloning with nucleus donor cells of different age and type. **Mol. Reprod. Dev.** 58: 376-383.
37. Wakayama T, and Yanagimachi R. (2001) Effect of cytokinesis inhibitor, DMSO and the timing of oocyte activation on mouse cloning using cumulus cell nuclei. **Reproduction** 122:49-60
38. Wakayama T, Tabar V, Rodriguez I, Perry ACF, Studer L, and Mombaerts P. (2001) Differentiation of embryonic stem cell lines generated from adult somatic cells by nuclear transfer. **Science.** 292:740-743.
39. Ohgane J, Wakayama T, Kogo Y, Senda S, Hattori N, Tanaka S, Yanagimachi R, and Shiota K. (2001) DNA methylation variation in cloned mice. **Genesis** 30:45-50.
40. Kawase Y, Iwata T, Toyoda Y, Wakayama T, Yanagimachi R, and Suzuki H (2001) Comparison of intracytoplasmic sperm injection for inbred and hybrid mice **Mol. Reprod. Dev.** 60:74-78.
41. Perry ACF, Rothman A, de Las Heras JI, Feinstein P, Mombaerts P, Cooke HJ, and Wakayama T. (2001) Efficient metaphase II transgenesis with different transgene archetypes. **Nat. Biotechnol.** 19:1071-1073.

42. Tanaka S, Oda M, Toyoshima Y, Wakayama T, Tanaka M, Yoshida N, Hattori N, Ohgane J, Yanagimachi R, and Shiota K (2001) Placentomegaly in cloned mouse concepti caused by expansion of the spongiotrophoblast layer. **Biol Reprod.** 65:1813-1821.
43. Yamazaki Y, Wakayama T, and Yanagimachi R. (2001) Contribution of cumulus cells and serum to the maturation of oocyte cytoplasm as revealed by intracytoplasmic sperm injection (ICSI). **Zygote** 2001 9:277-282.
44. Tamashiro KL, Wakayama T, Akutsu H, Yamazaki Y, Lachey JL, Wortman MD, Seeley RJ, D'Alessio DA, Woods SC, Yanagimachi R, and Sakai RR. (2002) Cloned mice have an obese phenotype not transmitted to their offspring. **Nat. Med** 8:262-267 (Cover article of issue).
45. Wakayama S, Cibelli JB, and Wakayama T. (2003) Effect of timing of the removal of oocyte chromosomes before or after injection of somatic nucleus on development of NT embryos. **Cloning Stem Cells** 5: 181-189.
46. Singh U, Fohn LE, Wakayama T, Ohgane J, Steinhoff C, Lipkowitz B, Schulz R, Orth A, Ropers HH, Behringer RR, Tanaka S, Shiota K, Yanagimachi R, Nuber UA, and Fundele R. (2004) Different molecular mechanisms underlie placental overgrowth phenotypes caused by interspecies hybridization, cloning, and Esx1 mutation. **Dev. Dyn.** 230, 149-164.
47. Yanagimachi R, Wakayama T, Kishikawa H, Fimia GM, Monaco L, and Sassone-Corsi P. (2004) Production of fertile offspring from genetically infertile male mice. **Proc. Natl. Acad. Sci. USA** 101, 1691-1695.
48. Ohgane J, Wakayama T, Senda S, Yamazaki Y, Inoue K, Ogura A, Marh J, Tanaka S, Yanagimachi R, and Shiota K. (2004) The Sall3 locus is an epigenetic hotspot of aberrant DNA methylation associated with placentomegaly of cloned mice. **Genes Cells.** 9:253-260.
49. Lanza R, Moore MA, Wakayama T, Perry AC, Shieh JH, Hendrikx J, Leri A, Chimenti S, Monsen A, Nurzynska D, West MD, Kajstura J, and Anversa P. (2004) Regeneration of the Infarcted Heart With Stem Cells Derived by Nuclear Transplantation. **Circulation Research.** 94:820-827.
50. Kishigami S, Wakayama S, Nguyen VT, and Wakayama T. (2004) Similar time restriction for ICSI and ROSI into activated oocytes for efficient offspring production **Biol Reprod.** 70:1863-1869
51. Ohta H, Wakayama T, and Nishimune Y. (2004) Commitment of Fetal Male Germ Cells to Spermatogonial Stem Cells During Mouse Embryonic Development. **Biol Reprod.** 70: 1286-1291
52. Ohta H, and Wakayama T. (2004) Full-term development of offspring using ectopically produced haploid germ cells from fetal male germ cells. **J. Reprod. Dev.** 50:429-437.
53. Senda S, Wakayama T, Yamazaki Y, Ohgane J, Hattori N, Tanaka S, Yanagimachi R, and Shiota K. (2004) Skewed X-inactivation in cloned mice. **Biochem Biophys Res Commun.** 321:38-44.
54. Wakayama S, Thuan NV, Kishigami S, Ohta H, Mizutani E, Hikichi T, Miyake M, and Wakayama T. (2004) Production of offspring from one-day-old oocytes stored at room temperature. **J. Reprod. Dev.** 50:627-637.

55. Kishigami S, Thuan NV, Wakayama S, Hikichi T, and Wakayama T. (2004) A new separation method of the round-spermatid cytoplasm before ROSI in mouse. **Zygote** 12: 321-327
56. Mochida K, Wakayama T, Takano K, Noguchi Y, Yamamoto Y, Suzuki O, Matsuda J, and Ogura A. (2005) Birth of Offspring after Transfer of Mongolian Gerbil (*Meriones unguiculatus*) Embryos Cryopreserved by Vitrification. **Mol. Reprod. Dev.** 70: 464-470.
57. Van Thuan N, Wakayama S, Kishigami S, and Wakayama T (2005) New Preservation Method for Mouse Spermatozoa Without Freezing. **Biol. Reprod.** 72, 444–450.
58. Hikichi T, Kishigami S, Thuan NV, Ohta H, Mizutani E, Wakayama S, and Wakayama T. (2005) Round spermatids stained with mitotracker can be used to produce offspring more simply. **Zygote**. 2005 13:55-61.
59. Wakayama S, Ohta H, Kishigami S, Van Thuan N, Hikichi T, Mizutani E, Miyake M, and Wakayama T. (2005) Establishment of Male and Female Nuclear Transfer Embryonic Stem Cell Lines from Different Mouse Strains and Tissues. **Biol. Reprod.** 72, 932-936.
60. Wakayama S, Kishigami S, Van Thuan N, Ohta H, Hikichi T, Mizutani E, Yanagimachi R, and Wakayama T. (2005) Propagation of an Infertile Hermaphrodite Mouse Lacking Germ Cells, Using Nuclear Transfer and Embryonic Stem Cell Technology. **Proc. Natl. Acad. Sci. USA** 102:29-33. (Cover article of issue)
61. Ohta H, and Wakayama T. (2005) Generation of Normal Progeny by Intracytoplasmic Sperm Injection Following Grafting of Testicular Tissue from Cloned Mice that Died Postnatally. **Biol Reprod.** 73:390-395
62. Fujita K, Ohta H, Tsujimura A, Takao T, Miyagawa Y, Takada S, Matsumiya K, Wakayama T, and Okuyama A. (2005) Transplantation of spermatogonial stem cells isolated from leukemic mice restores fertility without inducing leukemia. **J. Clin. Invest.** 115:1855-1861
63. Mizutani E, Ohta H, Kishigami S, Van Thuan N, Hikichi T, Wakayama S, Sato E, and Wakayama T. (2005) Generation of progeny from embryonic stem cells by microinsemination of male germ cells from chimeric mice. **Genesis**. 43:34-42.
64. Singh U, Sun T, Shi W, Schulz R, Nuber UA, Varanou A, Hemberger MC, Elliott RW, Ohta H, Wakayama T, and Fundele R. (2005) Expression and Functional Analysis of Genes Deregulated in Mouse Placental Over Growth Models: *Car2* and *Ncam1*. **Dev. Dyn.** 234:1034-1045
65. Wakayama S, Mizutani E, Kishigami S, Thuan NV, Ohta H, Hikichi T, Bui HT, Miyake M, and Wakayama T. (2005) Mice Cloned by Nuclear Transfer from Somatic and ntES Cells Derived from the Same Individuals. **J. Reprod. Dev.** 51:765-72.
66. Kishigami S, Thuan NV, Hikichi T, Ohta H, Wakayama S, Mizutani E, and Wakayama T. (2006) Epigenetic abnormalities of the mouse paternal zygotic genome associated with microinsemination of round spermatids. **Dev. Biol** 289: 195-205.

67. Tamada H, Van Thuan N, Reed P, Nelson D, Katoku-Kikyo N, Wudel J, Wakayama T, and N. Kikyo N. (2006) Chromatin decondensation and nuclear reprogramming by nucleoplasmin, **Mol Cell Biol**, 26: 1259-1271.
68. Kishigami S, Mizutani E, Ohta H, Hikichi T, Thuan NV, Wakayama S, Bui HT, and Wakayama T. (2006) Significant improvement of mouse cloning technique by treatment with trichostatin A after somatic nuclear transfer. **Biochem. Biophys. Res. Commun.** 340: 183-189.
69. Van Thuan N, Wakayama S, Kishigami S, and Wakayama T. (2006) Donor Centrosome Regulation of Initial Spindle Formation in Mouse Somatic Cell Nuclear Transfer: Roles of Gamma-Tubulin and Nuclear Mitotic Apparatus Protein 1. **Biol. Reprod.** 74:777-787.
70. Van Thuan, N, Wakayama S, Kishigami S, Ohta H, Hikichi H, Mizutani E, Bui HT, and Wakayama T. (2006) Injection of Somatic Cell Cytoplasm into Oocytes Before ICSI Impairs Full-Term Development and Increases Placental Weight in Mice. **Biol. Reprod.** 74:865-873.
71. Kishigami S, Hikichi T, Van Thuan N, Ohta H, Wakayama S, Bui HT, Mizutani E, and Wakayama T. (2006) Normal specification of the extraembryonic lineage after somatic nuclear transfer. **FEBS Lett.** 580:1801-1806
72. Wakayama S, Jakt ML, Suzuki M, Araki R, Hikichi T, Kishigami S, Ohta H, Thuan NV, Mizutani E, Sakaide Y, Senda S, Tanaka S, Okada M, Miyake M, Abe M, Nishikawa SI, Shiota K, and Wakayama T. (2006) Equivalency of Nuclear Transfer-Derived Embryonic Stem Cells to those Derived from Fertilized Mouse Blastocyst. **Stem Cells.** 24: 2023-2033.
73. Bui HT, Thuan NV, Wakayama T, and Miyano T. (2006) Chromatin remodeling in somatic cells injected into mature pig oocytes **Reproduction** 131: 1037-1049.
74. Yoneda A, Okada A, Wakayama T, Ueda J, and Watanabe T. (2006) Analysis of specific factors generating 2-cell block in AKR mouse embryos. **Zygote.** 14:169-179.
75. Kishigami S, Ohta H, Mizutani E, Wakayama S, Bui HT, Thuan NV, Hikichi T, Suetsugu R, and Wakayama T. (2006) Harmful or Not: Trichostatin A treatment of embryos generated by ICSI or ROSI. **Central European Journal of Biology** 1: 376-385.
76. Wakisaka-Saito N, Kohda T, Inoue K, Ogonuki N, Miki H, Hikichi T, Mizutani E, Wakayama T, Kaneko-Ishino T, Ogura A, and Ishino F. (2006) Chorioallantoic placenta defects in cloned mice. **Biochem Biophys Res Commun.** 349: 106-114.
77. Mizutani E, Ohta H, Kishigami S, Thuan NV, Hikichi T, Wakayama S, Kosaka M, Sato E, and Wakayama T. Developmental ability of cloned embryos from neural stem cells. **Reproduction.** 2006 132:849-857.
78. Singh U, Yu Y, Kalinina E, Konno T, Sun T, Ohta H, Wakayama T, Soares MJ, Hemberger M, and Fundele RH. (2006) Carboxypeptidase E in the mouse placenta. **Differentiation.** 74:648-660.

79. Hikichi T, Wakayama S, Mizutani E, Takashima Y, Kishigami S, Van Thuan N, Ohta H, Bui HT, Nishikawa SI, and Wakayama T. (2007) Differentiation Potential of Parthenogenetic Embryonic Stem Cells is Improved by Nuclear Transfer. **Stem Cells.** 25:46-53.
80. Kishigami S, Bui HT, Wakayama S, Tokunaga K, Thuan NV, Hikichi T, Mizutani E, Ohta H, Suetsugu R, Sata T, and Wakayama T. (2007) Success of mouse cloning from an outbred strain by TSA treatment after somatic nuclear transfer. **J. Reprod. Dev.** 53: 165-170.
81. Wakayama S, Hikichi T, Suetsugu R, Sakaide Y, Bui HT, Mizutani E, and Wakayama T. (2007) Efficient establishment of mouse embryonic stem cell lines from single blastomeres and polar bodies. **Stem Cells.** 25:986-993.
82. Bui HT, Van Thuan N, Kishigami S, Wakayama S, Hikichi T, Ohta H, Mizutani E, Yamaoka E, Wakayama T, and Miyano T.(2007) Regulation of chromatin and chromosome morphology by histone H3 modifications in pig oocytes. **Reproduction.** 133:371-382.
83. Wakayama S, Suetsugu R, Thuan NV, Ohta H, Kishigami S, and Wakayama T. (2007) Establishment of mouse embryonic stem cell lines from somatic cell nuclei by nuclear transfer into aged, fertilization-failure mouse oocytes. **Curr. Biol.** 17: R120-R121
84. Ohta H, Sakaide Y, and Wakayama T. (2007) Generation of progeny via ICSI following enrichment of elongated spermatids from mouse testis by flow-cytometric cell sorting. **Hum Reprod.** 22: 1612-1616
85. Senda S, and Wakayama T, Arai Y, Yamazaki Y, Ohgane J, Tanaka S, Hattori N, Yanagimachi R, and Shiota K. (2007) DNA Methylation Errors in Cloned Mice Disappear with Advancement of Aging, **Cloning Stem Cells** 9:293-302
86. Kim K, Ng K, Rugg-Gunn PJ, Shieh JH, Kirak O, Jaenisch R, Wakayama T, Moore MA, Pedersen RA, and Daley GQ. (2007) Recombination Signatures Distinguish Embryonic Stem Cells Derived by Parthenogenesis and Somatic Cell Nuclear Transfer. **Cell Stem Cells** 1:346-352
87. Kishigami S, and Wakayama T. (2007) Efficient Strontium-Induced Activation of Mouse Oocytes in Standard Culture Media by Chelating Calcium. **J. Reprod. Dev.** 2007 53:1207-1215